

Schedule of Permit Application Fees and Timelines

For permits defined in Fee Regulations (310 CMR 4.00, effective 20-Jun-14) and/or recorded in the Permit Information Management System (PIMS)

25-Jan-2016

Sorted by Program/Division, Subprogram, and Permit Type Code

Contents: I. Overview
II. Details

Reviewing Office Key

HQ = Headquarters Boston

HQ/Reg = Headquarters/Region

Region = Central/Northeast/Southeast/Western

WES = Wall Experiment Station Lawrence

WMO = Watershed Mgmt Office Worcester

I. Overview

| Program/Division: AIR QUALITY CONTROL | | Applications: | 23 | BAW |
|--|---|----------------------|----------|------------------|
| | | Presumptive Approval | Fee | Reviewing Office |
| Asbestos and Construction Notifications - Not in PIMS Transmittal Form Not Required | | | | |
| AQ04 | Asbestos Removal Notification (Anf-001) | N | \$100 | HQ |
| AQ05 | Asbestos Removal Blanket Notification | N | \$200 | Region |
| AQ06 | Construction/Demolition Notification | N | \$100 | HQ |
| AQ35 | Revised Asbestos Removal Notification | N | \$35 | HQ |
| AQ36 | Non-Traditional Asbestos Removal Abatement Practices | N | \$600 | Region |
| Emission Control Plans | | | | |
| AQ08A | Emission Control Plan Nox/Voc State Only Review | N | \$1,880 | Region |
| AQ08B | Emission Control Plan Nox/Voc State & Epa Review | N | \$22,310 | Region |
| AQ22 | Emission Control Plan - Municipal Waste Combustor | N | \$8,820 | Region |
| AQ25 | Emission Control Plan - Power Plant | N | NoFee | Region |
| AQ29 | Emission Control Plan - Clean Air Interstate Rule (Cair) | N | NoFee | HQ |
| AQ30 | Emission Control Plan - Carbon Dioxide Budget | N | NoFee | HQ |
| Emission Reduction Credits | | | | |
| AQ18 | Emission Reduction Banking & Trading Credit Certification | N | Formula | Region |
| Operating Permits | | | | |
| AQ10 | Operating Permit Minor Modification | N | NoFee | Region |
| AQ11 | Operating Permit Administrative Amendment | N | NoFee | Region |
| AQ12 | Operating Permit Renewal | N | NoFee | Region |
| AQ13 | Operating Permit Significant Modification | N | NoFee | Region |
| AQ14 | Operating Permit Initial | N | Formula | Region |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> | | <i>Applications:</i> | 23 | BAW |
|---|--|-----------------------------|------------|-------------------------|
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Plan Approval Applications | | | | |
| AQ01 | Plan Application Limited | N | \$645 | Region |
| AQ02 | Plan Application Non-Major Comprehensive | N | \$2,370 | Region |
| AQ03 | Plan Application Major Comprehensive | N | \$24,305 | Region |
| AQ33 | Plan Application Limited/Comprehensive Consolidation | N | Formula | Region |
| AQ34 | Plan Application Limited/Comprehensive Admin Amendment | Y | NoFee | Region |
| Restricted Emission Status | | | | |
| AQ09 | Restricted Emissions Status Plan | N | \$1,900 | Region |
| <i>Program/Division:</i> | | <i>Applications:</i> | 1 | BAW |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Dental Mercury - Not in PIMS Transmittal Form Not Required | | | | |
| DEP02 | Dental Mercury Amalgam Certification | N | \$460 | HQ |
| <i>Program/Division:</i> | | <i>Applications:</i> | 22 | BAW |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Recycling | | | | |
| HW12 | Level Iii Recycling Class B(4) Materials (Precious Metals) | N | \$5,845 | Region |
| HW21 | Level I Recycling/Renewal Class A Materials | Y | \$155 | Region |
| HW22 | Level I Recycling/Renewal | N | \$245 | Region |
| HW23 | Level Ii Recycling | N | \$1,235 | Region |
| HW24 | Level Ii Recycling Renewal/Modification | N | \$325 | Region |
| HW25 | Level Iii Recycling | N | \$9,550 | Region |
| HW26 | Level Iii Recycling Renewal/Modification | N | \$1,065 | Region |
| Transporter Licenses | | | | |
| HW05 | Transporter License Hw Including Mixed Wastes | N | \$3,450 | HQ |
| HW06 | Transporter License Class B(4) | N | \$1,290 | HQ |
| HW14 | Transporter License Hw Renewal | N | \$2,375 | HQ |
| HW15 | Transporter License Class B(4) Renewal | N | \$890 | HQ |
| HW27 | Transporter License Hw Or Class B(4) Modification | Y | \$280 | HQ |
| HW28 | Transporter Hw Annual Vehicle Identification Device (Vid) | N | Formula | HQ |
| Treatability Declassification Research | | | | |
| HW07 | Approval Of Hw Treatability Studies | N | \$2,695 | HQ |
| HW16A | Waste Declassification W/O Public Comment (Irp) | N | Negotiated | HQ |
| HW16B | Waste Declassification W/ Public Comment (Irp) | N | Negotiated | HQ |
| HW20A | Research Facility W/O Public Comment (Irp) | N | Negotiated | HQ |
| HW20B | Research Facility W/ Public Comment (Irp) | N | Negotiated | HQ |
| Treatment Storage or Disposal Facilities | | | | |
| HW08 | Tsd Operation License Or Closure Plan (Irp) | N | Negotiated | HQ |
| HW09 | Tsd Class I Modification | N | \$215 | HQ |
| HW10 | Tsd Class Ii Modification | N | \$12,525 | HQ |
| HW11 | Tsd Class Iii Modification (Irp) | N | Negotiated | HQ |
| <i>Program/Division:</i> | | <i>Applications:</i> | 8 | BAW |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Sewer Connections/Extensions | | | | |
| IW41 | Sewer Connect With Pretreatment System Plan Approval | N | \$1,500 | HQ |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> | | <i>Applications:</i> | 8 | BAW |
|--|--|-----------------------------|------------|-------------------------|
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| INDUSTRIAL WASTE WATER | | | | |
| Surface Water NPDES Individual Permits Industrial | | | | |
| IW16 | Type Ii Wastewater Treatment Facility Permit & Plan Approval | N | \$5,595 | HQ |
| IW18 | Type I Wastewater Treatment Facility Permit & Plan Approval | N | \$2,625 | HQ |
| IW26 | Experimental/Alternative Treatment Technology (Irp) | N | Negotiated | HQ |
| IW27 | Other Industrial Wastewater Projects (Irp) | N | Negotiated | Region |
| IW35 | Renewal/Modification Of Permit With Plan Modification | N | \$1,560 | HQ |
| IW36 | Renewal/Modification Of Permit Without Plan Modification | N | \$735 | HQ |
| IW37 | Modification Of Plan Approval | N | \$980 | Region |
| <i>Program/Division:</i> | | <i>Applications:</i> | 4 | BSPT |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| LAWRENCE/WALL EXPERIMENT STA | | | | |
| Laboratory Certification | | | | |
| LES01 | Microbiology Lab Certification | N | Formula | WES |
| LES02 | Chemical Lab Certification | N | Formula | WES |
| LES03 | Modification Of Chemical Lab Certification | N | Formula | WES |
| LES04 | Modification Of Microbiology Lab Certification | N | Formula | WES |
| <i>Program/Division:</i> | | <i>Applications:</i> | 52 | BAW |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| SOLID WASTE MGMT | | | | |
| Assignment Exempt Operations | | | | |
| SW46A | Small Transfer Operation For Organic Material | N | \$1,000 | Region |
| SW46B | Recycle Compost Convert Recyclable/Organic Material | N | \$8,750 | Region |
| SW47A | Renew/Mod Small Transfer Operation For Organic Material | N | \$200 | Region |
| SW47B | Renew/Mod Recyc Compost Convert Recyclable/Organic Material | N | \$1,458 | Region |
| Beneficial Use Determinations | | | | |
| SW39 | Bud Secondary Material In Commercial Products | N | \$2,375 | HQ/Reg |
| SW40 | Bud Secondary Materials In Regulated Systems | N | \$2,375 | HQ/Reg |
| SW41 | Bud Secondary Material In Restricted Applications | N | \$4,455 | HQ/Reg |
| SW42 | Bud Secondary Material In Unrestricted Application (Irp) | N | Negotiated | HQ/Reg |
| SW44 | Modification Of Beneficial Use Determination | N | \$1,065 | HQ/Reg |
| Certain Modifications to Any Facility | | | | |
| SW45 | Alternative Modification To Any Sw Management Facility | Y | \$595 | Region |
| SW49 | Permit Transfer Certification | N | \$595 | Region |
| Combustion Facility | | | | |
| SW15 | Auth To Construct New/Expanded Combustion Facility (Irp) | N | Negotiated | Region |
| SW16 | Auth To Operate/Modify Combustion Facility | N | \$5,290 | Region |
| SW16B | Auth To Operate/Modify Combustion Facility With Variance | N | \$5,290 | Region |
| Demonstration Projects | | | | |
| SW32 | New Solid Waste Technology Demonstration Project | N | \$2,075 | Region |
| SW33 | Demonstration Project Report For New Solid Waste Technology | N | \$4,950 | Region |
| SW35 | New Recycle Compost Convert Technology Demonstration Project | N | \$1,458 | Region |

Schedule of Permit Application Fees and Timelines

| Program/Division: SOLID WASTE MGMT | | Applications: | 52 | BAW |
|--|--|----------------------|------------|------------------|
| | | Presumptive Approval | Fee | Reviewing Office |
| Existing Landfill Construction Operation Modification | | | | |
| SW08 | Authorization To Construct At An Existing Landfill | N | \$1,780 | Region |
| SW10 | Authorization To Operate New Phase Of Landfill | N | \$1,940 | Region |
| SW11A | Major Mod Landfill No Mepa No Variance | N | \$3,880 | Region |
| SW11B | Major Mod Landfill No Mepa With Variance | N | \$3,880 | Region |
| SW11C | Major Mod Landfill With Mepa No Variance | N | \$5,290 | Region |
| SW11D | Major Mod Landfill With Mepa With Variance | N | \$5,290 | Region |
| SW22 | Minor Modification Of Landfill | N | \$1,380 | Region |
| SW22B | Minor Modification Of Landfill With Variance | N | \$1,380 | Region |
| Facility Site Suitability Report | | | | |
| SW01 | Site Suitability Report | N | \$10,585 | Region |
| SW38 | Major Mod Of Site Assignment Existing Site Suitability Rpt | N | \$1,920 | Region |
| Landfill Assessment and Closure | | | | |
| SW12 | Initial Site Assessment | N | \$1,380 | Region |
| SW23 | Comprehensive Site Assessment | N | \$5,645 | Region |
| SW24 | Corrective Action Alternative Analysis Report | N | \$3,565 | Region |
| SW25 | Corrective Action Design | N | \$4,255 | Region |
| SW43A | Landfill Closure Completion | N | \$2,435 | Region |
| SW43B | Landfill Closure Completion With Variance | N | \$2,435 | Region |
| New Landfill or Expanded Existing Landfill | | | | |
| SW26 | Auth To Construct Large New/Major Expansion Landfill (Irp) | N | Negotiated | Region |
| SW27 | Auth To Construct Med New/Med Expansion Landfill | N | \$28,555 | Region |
| SW27B | Auth To Construct Med New/Med Expansion Landfill W/ Var | N | \$28,555 | Region |
| SW28 | Auth To Construct Small New/Small Expansion Landfill | N | \$14,275 | Region |
| SW28B | Auth To Construct Small New/Small Expansion Landfill W/ Var | N | \$14,275 | Region |
| SW29 | Auth To Construct New/Expansion Woodwaste Landfill | N | \$14,275 | Region |
| SW29B | Auth To Construct New/Expansion Woodwaste Landfill W/ Var | N | \$14,275 | Region |
| Post-Closure Use | | | | |
| SW36 | Major Post-Closure Use | N | \$3,425 | Region |
| SW37 | Minor Post-Closure Use | Y | \$1,330 | Region |
| Special Waste Determinations | | | | |
| SW14 | Listed Special Waste Acceptance | Y | \$1,940 | Region |
| Third Party Inspector Registrations | | | | |
| SW48 | Third Party Inspector Registration | N | \$595 | HQ |
| Transfer Stations and Handling Facilities | | | | |
| SW05 | Auth To Construct C&D Transfer Or Large Transfer/Handling | N | \$7,235 | Region |
| SW05B | Auth To Construct C&D Transfer Or Large Trans/Handling W/Var | N | \$7,235 | Region |
| SW06 | Auth To Operate/Renew C&D Transfer Or Large Handling Fac | N | \$1,940 | Region |
| SW07 | Modification Of C&D Transfer Or Large Handling Facility | N | \$3,235 | Region |
| SW19 | Authorization To Construct Small Transfer/Handling Facility | N | \$2,075 | Region |
| SW19B | Auth To Construct Small Transfer/Handling Fac W/ Variance | N | \$2,075 | Region |
| SW20 | Authorization To Operate/Renew Small Handling Facility | N | \$985 | Region |
| SW21 | Modification Of Small Handling Facility | N | \$1,380 | Region |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> | | <i>Applications:</i> | 4 | BAW |
|---|--|-----------------------------|------------|-------------------------|
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Toxic Use Reduction Program | | | | |
| TU01 | General Practice Tur Planner | N | \$500 | HQ |
| TU02 | Limited Practice Tur Planner | N | \$100 | HQ |
| TU03 | Recertification General Practice Tur Planner | N | \$250 | HQ |
| TU04 | Recertification Limited Practice Tur Planner | N | \$75 | HQ |
| <i>Program/Division:</i> | | <i>Applications:</i> | 4 | BWSC |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Environmental Restriction Grants | | | | |
| BWS40 | Grant Of Environmental Restriction | N | \$1,290 | HQ |
| BWS41 | Environmental Restriction Grant Amendment | N | \$1,040 | HQ |
| BWS42 | Environmental Restriction Grant Release | N | \$795 | HQ |
| Special Project Designation | | | | |
| BWS50 | Special Project Designation | Y | \$920 | Region |
| <i>Program/Division:</i> | | <i>Applications:</i> | 48 | BWR |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Groundwater Discharges Industrial | | | | |
| WP86 | Iww Type Ii Treatment Facility Permit Plan Approval | N | \$6,190 | HQ |
| WP87 | Permit To Dischg & Auth To Construct & Op Type I Fac | N | \$3,185 | HQ |
| WP88 | Permit Renewal Or Mod With Plan Modification | N | \$1,445 | HQ |
| WP89 | Permit Renewal Or Mod W/O Plan Modification | N | \$645 | HQ |
| WP90 | Plan Approval Modification | N | \$940 | HQ |
| Groundwater Discharges NonIndustrial | | | | |
| WP11 | Renewal/Modification Of Permit With Plan Approval | N | \$1,830 | Region |
| WP12 | Renewal/Modification Of Permit Without Plan Approval | N | \$890 | Region |
| WP79 | Individual Permit Sewage Treatment | N | \$5,000 | Region |
| WP80 | General Permit/Renewal Specified Discharge | N | \$745 | Region |
| WP81 | General Permit/Renewal Small Sewage Treatment Works | N | \$755 | Region |
| WP82 | Individual Permit Administrative Renewal | N | \$265 | Region |
| WP83 | Hydrogeologic Report | N | \$10,005 | Region |
| WP84 | Individual Permit Reclaimed Water System | N | \$5,000 | Region |
| WP85 | Individual Permit Other Discharge | N | \$2,470 | Region |
| Residuals Management Facilities - Landfill & Treatment | | | | |
| WP33 | Plans & Specifications Residuals Landfill (Irp) | N | Negotiated | Region |
| WP34 | Residuals Landfill Closure | N | \$8,745 | Region |
| WP35 | Plans & Specifications Residuals Management Facility | N | \$5,350 | Region |
| WP44 | Modification To Residuals Landfill | N | \$2,180 | Region |
| WP45 | Modification To Residuals Management Facility | N | \$1,280 | Region |
| Residuals Management Land Applications | | | | |
| WP28 | Approval Of Sampling/Analysis Plan For Land Application | N | \$860 | Region |
| WP29 | Determination Of Suitability For Land Appl Of Residuals | N | \$3,500 | Region |
| WP30 | Certification Of Major Projects For Land Appl Of Sludge | N | \$2,910 | Region |
| WP31 | Certification Of Minor Projects For Land Appl Of Sludge | N | \$755 | Region |
| WP32 | Renewal Or Modification Of Certification Land Appl Of Sludge | N | \$315 | Region |
| WP93 | Type I Residuals Land Application Renewal | Y | \$1,700 | Region |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> WATER POLLUTION CONTROL | | <i>Applications:</i> | 48 | BWR |
|---|--|-----------------------------|------------|-------------------------|
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Sewer Connections/Extensions | | | | |
| WP91 | Sewer Connection Required By Dep | N | \$3,000 | HQ |
| WP92 | Sewer Connection Industrial >25K Gpd To Non-Ipp Potw | N | \$1,795 | HQ |
| Title 5 Septic Systems | | | | |
| WP57 | Approval Of Recirculating Sand Filter Or Equivalent | N | \$525 | Region |
| WP58A | Approval Of Nitrogen Aggregation Loading Plan | N | \$1,940 | Region |
| WP58B | Approval For Installation Of A Shared System | N | \$1,940 | Region |
| WP59 | Approval Of Title 5 Variance | N | \$335 | Region |
| WP60 | Variance From Title 5 For Schools | N | \$1,940 | Region |
| WP61 | Alternative System For Remedial & General Use | N | \$3,675 | HQ |
| WP61A | Alternative System For Remedial Use | N | \$3,675 | HQ |
| WP61B | Alternative System For Piloting, Provisional, Or General Use | N | \$3,675 | HQ |
| WP62 | Additives, Soil Conditioners, Effluent Tees, Grease Traps | N | \$1,140 | HQ |
| WP63 | Disposal System Construction Permit For State/Federal Facs | N | \$1,140 | Region |
| WP64A | Approval Of Tight Tank | Y | \$525 | Region |
| WP64B | Approval Of Installation Of Alternative System For Pilot | N | \$525 | HQ |
| WP64C | Approval Of Installation Of Alternative System Remedial Use | N | \$525 | Region |
| WP66 | Upgrade/Expansion/Continued Use Of Large Systems | N | \$1,140 | Region |
| WP70 | Request For Alternative Design Flow | N | \$700 | HQ |
| WP70A | Non-Sanitary Discharge To A Septic System | N | \$700 | HQ |
| WP75 | Modification Or Renewal Of Alternative Systems | N | \$2,160 | HQ |
| Treatment Works Plan Approvals | | | | |
| WP68 | Modification Of Plan Approval For Gw/Sw Discharge | N | \$970 | Region |
| Waste Water Holding Tanks | | | | |
| DEP01A | Cert Of Hld Tank- Wtr Pol/Brp | Y | \$140 | HQ |
| Wastewater Treatment Operator Certifications - Not in PIMS Transmittal Form Not Required | | | | |
| WP47 | Reciprocity Wastewater Treatment Operator Certification | N | \$95 | Region |
| WP48 | Emergency/Provisional Wastewater Treatment Operator Cert | N | \$35 | Region |
| <i>Program/Division:</i> WATER SUPPLY/DRINKING WATER | | <i>Applications:</i> | 48 | BWR |
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Cross Connection | | | | |
| WS10 | Certification Of Cross Connection Testers | N | \$65 | HQ |
| Distribution System Modifications | | | | |
| WS32 | Approval Of Distribution System Mods More Than 3300 People | N | \$1,055 | Region |
| WS33 | Approval Of Distribution System Mods Less Than 3300 People | N | \$525 | Region |
| New Source Approval | | | | |
| WS13 | Approval To Site Source Under 70 Gals/Min | N | \$1,380 | Region |
| WS15 | Approval Of Pumping Test Report And Approval To Construct | N | \$1,585 | Region |
| WS17 | Approval To Site Source 70 Gals/Min Or Greater | N | \$4,850 | Region |
| WS19 | Approval Of Pump Test Report For Source 70 Gal/Min Great | N | \$8,205 | Region |
| WS20 | Approval To Construct Source 70 Gal/Min Greater | N | \$2,910 | Region |
| WS37 | Approv Of New Trnsient Non-Comm Source <10K Gpd | N | \$810 | Region |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> WATER SUPPLY/DRINKING WATER | | <i>Applications:</i> | 48 | BWR |
|--|---|-----------------------------|------------|-------------------------|
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| New Technology Approval | | | | |
| WS11 | Approval Of New Technology | N | \$2,265 | HQ |
| WS12 | Major New Tech Appr W/Fld Tst W/O Public Comment (Irp) | N | Negotiated | HQ |
| WS27 | Approval Of Drinking Water Additives | N | \$290 | HQ/Reg |
| WS28 | Approval Of One Vending Site/Source Prototype | N | \$1,380 | Region |
| WS31 | Approval Of Vending Machines W/ Previous 3Rd Party Approval | N | \$290 | HQ |
| Public Water System Modifications | | | | |
| WS26 | Sale/Acquisition Of Land | N | \$1,290 | Region |
| WS36 | Abandonment Of Source | N | \$70 | Region |
| Underground Injection Control | | | | |
| WS06A | Uic Reg Codes 5A24 Except Abandoned, 5B6, 5C4, 5G1, 5K | N | \$585 | HQ |
| WS06B | Uic Reg 4P, 5A19, 5A23, 5B2, 5B3, 5C3, 5C5, 5H2, 5H3, 5X | N | \$290 | HQ |
| WS06C | Uic Reg Codes 5A18, 5A24 Abandoned Only, 5B1, 5C2, 5E, 5H1 | N | \$110 | HQ |
| WS06D | Uic Pre-Closure Notification | N | \$110 | Region |
| Vending Machine Source | | | | |
| WS30A | Install One Type Vending Machine @ 1-9 Locs On Same Sys | N | \$290 | Region |
| WS30B | Install One Type Pou/Poe Device @ 1-9 Loc On Same Sys | N | \$290 | Region |
| WS35A | Install One Type Vending Mach @ 10+ Locations Same Sys | N | \$1,630 | Region |
| WS35B | Install One Type Pou/Poe Device @ 10+ Locations Same Sys | N | \$1,630 | Region |
| Water Treatment | | | | |
| WS21A | Approv To Conduct Pilot Study; <40K Gpd | N | \$320 | Region |
| WS21B | Approv To Conduct Pilot Study; 40K - 200K Gpd | N | \$485 | Region |
| WS21C | Approv To Conduct Pilot Study; 200K - 1 Mgpd | N | \$850 | Region |
| WS21D | Approv To Conduct Pilot Study; > 1 Mgpd | N | \$1,135 | Region |
| WS22A | Approval Of Pilot Study Report; Less 40K Gpd | N | \$915 | Region |
| WS22B | Approval Of Pilot Study Report; 40K-200K Gpd | N | \$1,600 | Region |
| WS22C | Approval Of Pilot Study Report; 200K-1Mgd | N | \$2,160 | Region |
| WS22D | Approval Of Pilot Study Report; >1Mgd | N | \$2,850 | Region |
| WS23A | Approval To Construct Facility <40,000 Gpd | N | \$1,125 | Region |
| WS23B | Approval To Construct Facility >40,000 But <200,000 Gpd | N | \$1,780 | Region |
| WS23C | Approval To Construct Facility 200,000 Gpd But <1 Mgd | N | \$5,005 | Region |
| WS24 | Constr Treatment Fac>1Mgd W/O Public Comment (Irp) | N | Negotiated | Region |
| WS25A | Modification Of Treatment Facility < 40K Gpd | N | \$550 | Region |
| WS25B | Modification Of Treatment Facility 40K To < 200K Gpd | N | \$860 | Region |
| WS25C | Modification Of Treatment Facility 200K To < 1 Mil Gpd | N | \$2,210 | Region |
| WS25D | Modification Of Treatment Facility 1 Mil Or > Gpd | N | \$3,070 | Region |
| WS29 | Approval Of Chem Add Retrofit Serving More Than 3300 People | N | \$705 | Region |
| WS34 | Approval Of Chem Add Retrofit Serving Less Than 3300 People | N | \$350 | Region |
| Well Drilling - Not in PIMS Transmittal Form Not Required | | | | |
| WS39 | Well Driller Certification | N | \$200 | HQ |
| WS40 | Well Driller Certification Renewal | N | \$100 | HQ |
| WS41 | Well Driller Certification With Waiver | N | \$400 | HQ |
| WS42 | Well Drilling Rig | N | Formula | HQ |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> | | <i>Applications:</i> | 48 | BWR |
|--|--|-----------------------------|------------|-------------------------|
| WATER SUPPLY/DRINKING WATER | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Zone 2 Determination | | | | |
| WS07 | Zone 2: Approval To Conduct Pumping Test For Delineation | N | \$970 | Region |
| WS08 | Approval Of Zone 2 Delineation For Existing Drk Water Source | N | \$3,235 | Region |
| <i>Program/Division:</i> | | <i>Applications:</i> | 14 | BWR |
| WATERSHED MANAGEMENT | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Herbicide Applications | | | | |
| WM04 | License To Apply Herbicides To Waters Of The Commonwealth | N | \$95 | WMO |
| Surface Water NPDES General Permits NonStormwater | | | | |
| WM10 | General Permit For Construction Site Dewatering | N | \$470 | WMO |
| WM11 | General Permit For Non-Contact Cooling Water | N | \$470 | WMO |
| WM12 | General Permit For Groundwater Remediation | N | \$950 | WMO |
| WM13 | General Permit For Minor Non-Process Wastewater | N | \$950 | WMO |
| WM14 | General Permit For Surface Water Discharge Noi | N | \$440 | WMO |
| Surface Water NPDES General Permits Stormwater | | | | |
| WM08 | General Permit For Small Muni Separate Storm Sewer System | N | \$95 | HQ |
| WM09 | General Permit Stormwater Pollution Prevention Plan | N | \$890 | HQ |
| Surface Water NPDES Individual Permits NonIndustrial | | | | |
| WM05 | Type Ii Npdes Surface Water Discharge Permit | N | \$6,785 | HQ |
| WM06 | Type I Npdes Surface Water Discharge Permit | N | \$3,170 | HQ |
| WM07 | Modification/Renewal Of Npdes Permit | N | \$985 | HQ |
| Water Withdrawals | | | | |
| WM01 | Transfer Of Water Withdrawal Permit/Registration | N | \$215 | Region |
| WM02 | Amendment To Water Withdrawal Permit | N | \$1,940 | Region |
| WM03 | Water Withdrawal Permit | N | \$4,100 | Region |
| <i>Program/Division:</i> | | <i>Applications:</i> | 42 | BWR |
| WETLANDS & WATERWAYS | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Combined Waterways License & Water Quality Certification | | | | |
| WW26 | Ww License & Wqc For Dredge/Fill/Excavation | N | Formula | HQ |
| Water Quality Certifications Dredge | | | | |
| WW07 | Major Dredging Projects, 5,000 Cubic Yards Or Greater | N | \$490 | HQ |
| WW08 | Minor Dredging Projects, < 5,000 Cubic Yards, > 100 Cy | N | \$95 | HQ |
| WW09A | Wqcert Increase In Dredge Volume | N | \$90 | HQ |
| WW09B | Wqcert Change In Dredge Or Disposal Methods | N | \$190 | HQ |
| WW09C | Change In Certification Conditions | N | \$280 | HQ |
| Water Quality Certifications Fill/Excavation | | | | |
| WW10 | Major Fill And Excavation Projects | N | \$490 | Region |
| WW11 | Minor Fill And Excavation Projects | N | \$95 | Region |
| Waterways License Applicability & Compliance Certifications | | | | |
| WW04 | Determination Of Applicability | N | \$100 | HQ |
| WW05A | Cert Of Compliance - Water Dependent | N | \$100 | Region |
| WW05B | Cert Of Compliance - Nonwater Dependent | N | \$215 | Region |
| WW05C | Cert Of Compliance - Extended Term | N | \$430 | Region |

Schedule of Permit Application Fees and Timelines

| <i>Program/Division:</i> WETLANDS & WATERWAYS | | <i>Applications:</i> | 42 | BWR |
|---|---|-----------------------------|------------|-------------------------|
| | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| Waterways Non-simplified Licenses | | | | |
| WW01A | Ww License Residential Water-Dependent 4 Units Or Less | N | \$215 | HQ/Reg |
| WW01B | Ww License-Other Water-Dependent Projects | N | \$330 | HQ/Reg |
| WW01C | Ww License-Water-Dependent Projects-Extended Terms | N | \$3,350 | HQ/Reg |
| WW03A | Ww Lic Amendment-Wd Use 4 Units Or Less | N | \$100 | HQ/Reg |
| WW03B | Ww Lic Amendment-Other Wd Use Projects | N | \$125 | HQ/Reg |
| WW03C | Ww Lic Amend - Residential Nwd Use 4 Units Or Less | N | \$530 | HQ |
| WW03D | Ww Lic Amend - Other Nwd Use Projects | N | \$1,000 | HQ |
| WW03E | Amendment For License With Extended Terms (Wd/Nwd) | N | \$1,335 | HQ/Reg |
| WW14A | Partial App-Nwd Residential-4 Units Or Less | N | \$665 | HQ |
| WW14B | Partial App-Other Nwd Use Projects | N | \$2,005 | HQ |
| WW14C | Partial App-Nwd Use Projects With Extended Terms | N | \$3,350 | HQ |
| WW15A | Full App-Nwd Residential Use 4 Units Or Less | N | \$665 | HQ |
| WW15B | Full App-Other Nwd Use Projects | N | \$2,005 | HQ |
| WW15C | Full App-Other Nwd Use Projects With Extended Terms | N | \$3,350 | HQ |
| WW16A | Nwd Residential - 4 Units Or Less - In A Muni Harbor Plan | N | \$665 | HQ |
| WW16B | Other Nwd Use -In A Muni Harbor Plan | N | \$2,005 | HQ |
| WW16C | Nwd Use With Extended Terms In A Muni Harbor Plan | N | \$3,350 | HQ |
| WW17A | Joint Mepa App- Nwd Residential Use-4 Units Or Less | N | \$665 | HQ |
| WW17B | Joint Mepa App- Other Nwd Use Project | N | \$2,005 | HQ |
| WW17C | Joint Mepa App-Other Nwd Use Proj-Extended Terms | N | \$3,350 | HQ |
| Waterways Simplified Licenses | | | | |
| WW06 | Ww License Small Structure Accessory To Residence | N | \$75 | HQ/Reg |
| WW12 | Renewal Ww License Small Structure Accessory To Residence | N | \$35 | HQ/Reg |
| Wetland Protection Act - Not in PIMS Transmittal Form Not Required | | | | |
| WW18 | Wetlands Notice Of Intent & Abbreviated Noi | N | Formula | Region |
| WW19 | Wetlands Superseding Determination Of Applicability | N | \$120 | Region |
| WW20A | Wetlands Superseding Order Of Conditions Single Family Home | N | \$120 | Region |
| WW20B | Wetlands Superseding Order Of Conditions All Other | N | \$245 | Region |
| WW21 | Wetlands Superseding Order Of Resource Area Delineation | N | \$120 | Region |
| WW22 | Wetlands Variance | N | \$9,830 | Region |
| WW23 | Wetlands Variance With Claim Of Taking | N | \$245 | Region |
| Wetlands Cranberry Bog Renovations | | | | |
| WW13 | Wetlands Renovation Of Abandoned Cranberry Bogs | N | \$785 | Region |

Schedule of Permit Application Fees and Timelines

Total Applications: 270

II. Details

Program/Division: **AIR QUALITY CONTROL**

BAW

**Asbestos and Construction Notifications - Not in PIMS
Transmittal Form Not Required**

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|---|---|-------|----|
| AQ04 | Asbestos Removal Notification (Anf-001) | N | \$100 | HQ |
|------|---|---|-------|----|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|----------------------------|--------------------------|---------------------|
| | | | TR TECHNICAL REVIEW | R | 10 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | | TR2 TECH REVIEW 2 | O | 10 |

| | | | | |
|------|---------------------------------------|---|-------|--------|
| AQ05 | Asbestos Removal Blanket Notification | N | \$200 | Region |
|------|---------------------------------------|---|-------|--------|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|----------------------------|--------------------------|---------------------|
| | | | TR TECHNICAL REVIEW | R | 20 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | | TR2 TECH REVIEW 2 | O | 20 |

| | | | | |
|------|--------------------------------------|---|-------|----|
| AQ06 | Construction/Demolition Notification | N | \$100 | HQ |
|------|--------------------------------------|---|-------|----|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|----------------------------|--------------------------|---------------------|
| | | | TR TECHNICAL REVIEW | R | 10 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | | TR2 TECH REVIEW 2 | O | 10 |

| | | | | |
|------|---------------------------------------|---|------|----|
| AQ35 | Revised Asbestos Removal Notification | N | \$35 | HQ |
|------|---------------------------------------|---|------|----|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|----------------------------|--------------------------|---------------------|
| | | | TR TECHNICAL REVIEW | R | 10 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | | TR2 TECH REVIEW 2 | O | 10 |

| | | | | |
|------|--|---|-------|--------|
| AQ36 | Non-Traditional Asbestos Removal Abatement Practices | N | \$600 | Region |
|------|--|---|-------|--------|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|----------------------------|--------------------------|---------------------|
| | | | TR TECHNICAL REVIEW | R | 10 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | | TR2 TECH REVIEW 2 | O | 10 |

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

| Emission Control Plans | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|---|-------------------------------------|--------------------------|-------------------------|
| AQ08A | Emission Control Plan Nox/Voc State Only Review | N | \$1,880 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 45 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 63 |
| | | TRD TECH REVIEW DEFICIENCY | O | 45 |
| | | TR2 TECH REVIEW 2 | O | 63 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 30 |
| AQ08B | Emission Control Plan Nox/Voc State & Epa Review | N | \$22,310 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 128 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 128 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |
| AQ22 | Emission Control Plan - Municipal Waste Combustor | N | \$8,820 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

| Emission Control Plans | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|-------------------------------------|-----------------------------|------------|-------------------------|
| AQ25 | Emission Control Plan - Power Plant | N | NoFee | Region |

| <i>Timeline Type:</i> | <i>Guideline Only</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|-----------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 72 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 72 |
| | | TR TECHNICAL REVIEW | R | 144 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 144 |

| | | | | |
|------|--|---|-------|----|
| AQ29 | Emission Control Plan - Clean Air Interstate Rule (Cair) | N | NoFee | HQ |
|------|--|---|-------|----|

| <i>Timeline Type:</i> | <i>Guideline Only</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|-----------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 48 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 48 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 36 |

| | | | | |
|------|---|---|-------|----|
| AQ30 | Emission Control Plan - Carbon Dioxide Budget | N | NoFee | HQ |
|------|---|---|-------|----|

| <i>Timeline Type:</i> | <i>Guideline Only</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|-----------------------|----------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 365 |
| | | TRD TECH REVIEW DEFICIENCY | O | 365 |
| | | TR2 TECH REVIEW 2 | O | 365 |

| Emission Reduction Credits | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-----------------------------------|---|-----------------------------|------------|-------------------------|
| AQ18 | Emission Reduction Banking & Trading Credit Certification | N | Formula | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 48 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 48 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 36 |

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

| Operating Permits | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------|---|-------------------------------------|--------------------------|-------------------------|
| AQ10 | Operating Permit Minor Modification | N | NoFee | Region |
| <i>Timeline Type:</i> | Guideline Only | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 90 |
| AQ11 | Operating Permit Administrative Amendment | N | NoFee | Region |
| <i>Timeline Type:</i> | Guideline Only | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 15 |
| | | TRD TECH REVIEW DEFICIENCY | O | 15 |
| | | TR2 TECH REVIEW 2 | O | 15 |
| AQ12 | Operating Permit Renewal | N | NoFee | Region |
| <i>Timeline Type:</i> | Guideline Only | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 60 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 170 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 90 |
| | | PN PUBLIC NOTICE | R | 60 |
| | | PC1 DEP Review of Public Comments 1 | R | 45 |
| AQ13 | Operating Permit Significant Modification | N | NoFee | Region |
| <i>Timeline Type:</i> | Guideline Only | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 60 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 170 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 90 |
| | | PN PUBLIC NOTICE | R | 60 |
| | | PC1 DEP Review of Public Comments 1 | R | 45 |

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

| Operating Permits | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------|--------------------------|-------------------------------------|--------------------------|-------------------------|
| AQ14 | Operating Permit Initial | N | Formula | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 60 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 60 |
| | | TR TECHNICAL REVIEW | R | 180 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 180 |
| | | PN PUBLIC NOTICE | R | 60 |
| | | PC1 DEP Review of Public Comments 1 | R | 45 |
| | | FNL FINAL REVIEW PERIOD | R | 45 |

| Plan Approval Applications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-----------------------------------|--------------------------|-----------------------------|--------------------------|-------------------------|
| AQ01 | Plan Application Limited | N | \$645 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |

| | | | | |
|-----------------------|--|-----------------------------|--------------------------|---------------------|
| AQ02 | Plan Application Non-Major Comprehensive | N | \$2,370 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

| Plan Approval Applications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-----------------------------------|--------------------------------------|-----------------------------|------------|-------------------------|
| AQ03 | Plan Application Major Comprehensive | N | \$24,305 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 128 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 128 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|------|--|---|---------|--------|
| AQ33 | Plan Application Limited/Comprehensive Consolidation | N | Formula | Region |
|------|--|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 60 |

| | | | | |
|------|--|---|-------|--------|
| AQ34 | Plan Application Limited/Comprehensive Admin Amendment | Y | NoFee | Region |
|------|--|---|-------|--------|

| <i>Timeline Type:</i> | <i>Guideline Only</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|-----------------------|----------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 30 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 30 |

| Restricted Emission Status | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-----------------------------------|----------------------------------|-----------------------------|------------|-------------------------|
| AQ09 | Restricted Emissions Status Plan | N | \$1,900 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 10 |

Schedule of Permit Application Fees and Timelines

Program/Division: **ENVIRONMENTAL RESULTS PROGRAM**

BAW

Dental Mercury - Not in PIMS Transmittal Form Not Required

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|-------|--------------------------------------|---|-------|----|
| DEP02 | Dental Mercury Amalgam Certification | N | \$460 | HQ |
|-------|--------------------------------------|---|-------|----|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 48 |
| TRD | TECH REVIEW DEFICIENCY | O | 90 |
| TR2 | TECH REVIEW 2 | O | 48 |

Program/Division: **HAZARDOUS WASTE**

BAW

Recycling

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|--|---|---------|--------|
| HW12 | Level Iii Recycling Class B(4) Materials (Precious Metals) | N | \$5,845 | Region |
|------|--|---|---------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|-----|
| AR | ADMIN REVIEW | R | 24 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| AR2 | ADMIN REVIEW 2 | O | 24 |
| TR | TECHNICAL REVIEW | R | 96 |
| TRD | TECH REVIEW DEFICIENCY | O | 180 |
| TR2 | TECH REVIEW 2 | O | 96 |

| | | | | |
|------|---|---|-------|--------|
| HW21 | Level I Recycling/Renewal Class A Materials | Y | \$155 | Region |
|------|---|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 21 |
| TRD | TECH REVIEW DEFICIENCY | O | 21 |
| TR2 | TECH REVIEW 2 | O | 21 |

| | | | | |
|------|---------------------------|---|-------|--------|
| HW22 | Level I Recycling/Renewal | N | \$245 | Region |
|------|---------------------------|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 24 |
| TRD | TECH REVIEW DEFICIENCY | O | 60 |
| TR2 | TECH REVIEW 2 | O | 24 |

| | | | | |
|------|--------------------|---|---------|--------|
| HW23 | Level Ii Recycling | N | \$1,235 | Region |
|------|--------------------|---|---------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|----|
| AR | ADMIN REVIEW | R | 36 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| AR2 | ADMIN REVIEW 2 | O | 36 |
| TR | TECHNICAL REVIEW | R | 36 |
| TRD | TECH REVIEW DEFICIENCY | O | 60 |
| TR2 | TECH REVIEW 2 | O | 36 |

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

| Recycling | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|------------------|---|-----------------------------|------------|-------------------------|
| HW24 | Level Ii Recycling Renewal/Modification | N | \$325 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |

| | | | | |
|------|---------------------|---|---------|--------|
| HW25 | Level Iii Recycling | N | \$9,550 | Region |
|------|---------------------|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 96 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 96 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

| | | | | |
|------|--|---|---------|--------|
| HW26 | Level Iii Recycling Renewal/Modification | N | \$1,065 | Region |
|------|--|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |

| Transporter Licenses | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-----------------------------|--|-----------------------------|------------|-------------------------|
|-----------------------------|--|-----------------------------|------------|-------------------------|

| | | | | |
|------|---|---|---------|----|
| HW05 | Transporter License Hw Including Mixed Wastes | N | \$3,450 | HQ |
|------|---|---|---------|----|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 30 |

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

| Transporter Licenses | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---------------------------------------|---|-------------------------------------|--------------------------|-------------------------|
| HW06 | Transporter License Class B(4) | N | \$1,290 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| HW14 | Transporter License Hw Renewal | N | \$2,375 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 30 |
| HW15 | Transporter License Class B(4) Renewal | N | \$890 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| HW27 | Transporter License Hw Or Class B(4) Modification | Y | \$280 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| HW28 | Transporter Hw Annual Vehicle Identification Device (Vid) | N | Formula | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

| Treatability Declassification Research | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-------------------------------------|--------------------------|-------------------------|
| HW07 | Approval Of Hw Treatability Studies | N | \$2,695 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 36 |
| HW16A | Waste Declassification W/O Public Comment (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> | Negotiated | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| HW16B | Waste Declassification W/ Public Comment (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> | Negotiated | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 90 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 90 |
| HW20A | Research Facility W/O Public Comment (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> | Negotiated | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

| Treatability Declassification Research | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|---------------------|-------------------------|
| HW20B | Research Facility W/ Public Comment (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> | Negotiated | | | |
| | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> | |
| | AR ADMIN REVIEW | R | 30 | |
| | ARD ADMIN REVIEW DEFICIENCY | O | 180 | |
| | AR2 ADMIN REVIEW 2 | O | 30 | |
| | TR TECHNICAL REVIEW | R | 90 | |
| | TRD TECH REVIEW DEFICIENCY | O | 90 | |
| | TR2 TECH REVIEW 2 | O | 90 | |
| | PN PUBLIC NOTICE | R | 20 | |
| | PC1 DEP Review of Public Comments 1 | R | 90 | |
| Treatment Storage or Disposal Facilities | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| HW08 | Tsd Operation License Or Closure Plan (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> | Negotiated | | | |
| | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> | |
| | AR ADMIN REVIEW | R | 30 | |
| | ARD ADMIN REVIEW DEFICIENCY | O | 180 | |
| | AR2 ADMIN REVIEW 2 | O | 30 | |
| | TR TECHNICAL REVIEW | R | 60 | |
| | TRD TECH REVIEW DEFICIENCY | O | 180 | |
| | TR2 TECH REVIEW 2 | O | 60 | |
| HW09 | Tsd Class I Modification | N | \$215 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | | | |
| | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> | |
| | AR ADMIN REVIEW | R | 24 | |
| | ARD ADMIN REVIEW DEFICIENCY | O | 60 | |
| | AR2 ADMIN REVIEW 2 | O | 24 | |
| | TR TECHNICAL REVIEW | R | 48 | |
| | TRD TECH REVIEW DEFICIENCY | O | 60 | |
| | TR2 TECH REVIEW 2 | O | 24 | |
| HW10 | Tsd Class Ii Modification | N | \$12,525 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | | | |
| | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> | |
| | TR TECHNICAL REVIEW | R | 96 | |
| | TRD TECH REVIEW DEFICIENCY | O | 60 | |
| | TR2 TECH REVIEW 2 | O | 36 | |

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

| Treatment Storage or Disposal Facilities | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|-------------------------------------|-----------------------------|--------------------------|-------------------------|
| HW11 | Tsd Class Iii Modification (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> Negotiated | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | TR TECHNICAL REVIEW | R | | 96 |
| | TRD TECH REVIEW DEFICIENCY | O | | 60 |
| | TR2 TECH REVIEW 2 | O | | 36 |
| | PN PUBLIC NOTICE | R | | 45 |
| | PC1 DEP Review of Public Comments 1 | R | | 30 |

Program/Division: **INDUSTRIAL WASTE WATER**

BAW

| Sewer Connections/Extensions | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---------------------------------------|--|-----------------------------|--------------------------|-------------------------|
| IW41 | Sewer Connect With Pretreatment System Plan Approval | N | \$1,500 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR ADMIN REVIEW | R | | 24 |
| | ARD ADMIN REVIEW DEFICIENCY | O | | 180 |
| | AR2 ADMIN REVIEW 2 | O | | 24 |
| | TR TECHNICAL REVIEW | R | | 96 |
| | TRD TECH REVIEW DEFICIENCY | O | | 180 |
| | TR2 TECH REVIEW 2 | O | | 96 |
| | PN PUBLIC NOTICE | R | | 30 |
| | PC1 DEP Review of Public Comments 1 | R | | 72 |

| Surface Water NPDES Individual Permits Industrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------------------|-------------------------|
| IW16 | Type Ii Wastewater Treatment Facility Permit & Plan Approval | N | \$5,595 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR ADMIN REVIEW | R | | 24 |
| | ARD ADMIN REVIEW DEFICIENCY | O | | 180 |
| | AR2 ADMIN REVIEW 2 | O | | 24 |
| | TR TECHNICAL REVIEW | R | | 160 |
| | TRD TECH REVIEW DEFICIENCY | O | | 180 |
| | TR2 TECH REVIEW 2 | O | | 160 |
| | PN PUBLIC NOTICE | R | | 20 |
| | PC1 DEP Review of Public Comments 1 | R | | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **INDUSTRIAL WASTE WATER**

BAW

| Surface Water NPDES Individual Permits Industrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|---------------------------------|--------------------------|-------------------------|
| IW18 | Type I Wastewater Treatment Facility Permit & Plan Approval | N | \$2,625 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 120 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 120 |
| | PN | PUBLIC NOTICE | R | 20 |
| | PC1 | DEP Review of Public Comments 1 | R | 72 |
| IW26 | Experimental/Alternative Treatment Technology (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> Negotiated | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 30 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 30 |
| | TR | TECHNICAL REVIEW | R | 60 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 60 |
| IW27 | Other Industrial Wastewater Projects (Irp) | N | Negotiated | Region |
| <i>Timeline Type:</i> Negotiated | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 30 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 30 |
| | TR | TECHNICAL REVIEW | R | 60 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 60 |
| IW35 | Renewal/Modification Of Permit With Plan Modification | N | \$1,560 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 88 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 88 |
| | PN | PUBLIC NOTICE | R | 20 |
| | PC1 | DEP Review of Public Comments 1 | R | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **INDUSTRIAL WASTE WATER**

BAW

| Surface Water NPDES Individual Permits Industrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|------------|-------------------------|
| IW36 | Renewal/Modification Of Permit Without Plan Modification | N | \$735 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 88 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 88 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|------|-------------------------------|---|-------|--------|
| IW37 | Modification Of Plan Approval | N | \$980 | Region |
|------|-------------------------------|---|-------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Program/Division: **LAWRENCE/WALL EXPERIMENT STA**

BSPT

| Laboratory Certification | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---------------------------------|--------------------------------|-----------------------------|------------|-------------------------|
| LES01 | Microbiology Lab Certification | N | Formula | WES |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|----------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 36 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 36 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | IN1 INSPECTION REVIEW 1 | R | 80 |
| | | IND INSPECTION REVIEW DEFICIENCY | O | 90 |
| | | IN2 INSPECTION REVIEW 2 | O | 80 |

Schedule of Permit Application Fees and Timelines

Program/Division: **LAWRENCE/WALL EXPERIMENT STA**

BSPT

| Laboratory Certification | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---------------------------------------|----------------------------|------------------------------|--------------------------|-------------------------|
| LES02 | Chemical Lab Certification | N | Formula | WES |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 36 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 36 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 60 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| | IN1 | INSPECTION REVIEW 1 | R | 80 |
| | IND | INSPECTION REVIEW DEFICIENCY | O | 90 |
| | IN2 | INSPECTION REVIEW 2 | O | 80 |

| | | | | |
|---------------------------------------|--|------------------------------|--------------------------|---------------------|
| LES03 | Modification Of Chemical Lab Certification | N | Formula | WES |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 36 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 36 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 60 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| | IN1 | INSPECTION REVIEW 1 | R | 80 |
| | IND | INSPECTION REVIEW DEFICIENCY | O | 90 |
| | IN2 | INSPECTION REVIEW 2 | O | 80 |

| | | | | |
|---------------------------------------|--|------------------------------|--------------------------|---------------------|
| LES04 | Modification Of Microbiology Lab Certification | N | Formula | WES |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 36 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 36 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 60 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| | IN1 | INSPECTION REVIEW 1 | R | 80 |
| | IND | INSPECTION REVIEW DEFICIENCY | O | 90 |
| | IN2 | INSPECTION REVIEW 2 | O | 80 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Assignment Exempt Operations | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------------|---|-------------------------------------|--------------------------|-------------------------|
| SW46A | Small Transfer Operation For Organic Material | N | \$1,000 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |
| SW46B | Recycle Compost Convert Recyclable/Organic Material | N | \$8,750 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |
| SW47A | Renew/Mod Small Transfer Operation For Organic Material | N | \$200 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Assignment Exempt Operations | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------------|---|-----------------------------|------------|-------------------------|
| SW47B | Renew/Mod Recyc Compost Convert Recyclable/Organic Material | N | \$1,458 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| Beneficial Use Determinations | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------------------|---|-----------------------------|------------|-------------------------|
| SW39 | Bud Secondary Material In Commercial Products | N | \$2,375 | HQ/Reg |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |

| | | | | |
|------|--|---|---------|--------|
| SW40 | Bud Secondary Materials In Regulated Systems | N | \$2,375 | HQ/Reg |
|------|--|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |

| | | | | |
|------|---|---|---------|--------|
| SW41 | Bud Secondary Material In Restricted Applications | N | \$4,455 | HQ/Reg |
|------|---|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Beneficial Use Determinations | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------------------|--|-----------------------------|------------|-------------------------|
| SW42 | Bud Secondary Material In Unrestricted Application (Irp) | N | Negotiated | HQ/Reg |

| | | | | |
|-----------------------|------------|-------------------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Negotiated | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|------|--|---|---------|--------|
| SW44 | Modification Of Beneficial Use Determination | N | \$1,065 | HQ/Reg |
|------|--|---|---------|--------|

| | | | | |
|-----------------------|-----------------|-----------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |

| Certain Modifications to Any Facility | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|------------|-------------------------|
| SW45 | Alternative Modification To Any Sw Management Facility | Y | \$595 | Region |

| | | | | |
|-----------------------|-----------------|----------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 45 |
| | | TR2 TECH REVIEW 2 | O | 45 |

| | | | | |
|------|-------------------------------|---|-------|--------|
| SW49 | Permit Transfer Certification | N | \$595 | Region |
|------|-------------------------------|---|-------|--------|

| | | | | |
|-----------------------|-----------------|----------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 45 |
| | | TR2 TECH REVIEW 2 | O | 45 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Combustion Facility | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|----------------------------|--|-----------------------------|------------|-------------------------|
| SW15 | Auth To Construct New/Expanded Combustion Facility (Irp) | N | Negotiated | Region |

| | | | | |
|-----------------------|------------|-------------------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Negotiated | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 115 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 115 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 90 |

| | | | | |
|------|--|---|---------|--------|
| SW16 | Auth To Operate/Modify Combustion Facility | N | \$5,290 | Region |
|------|--|---|---------|--------|

| | | | | |
|-----------------------|-----------------|-----------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

| | | | | |
|-------|--|---|---------|--------|
| SW16B | Auth To Operate/Modify Combustion Facility With Variance | N | \$5,290 | Region |
|-------|--|---|---------|--------|

| | | | | |
|-----------------------|-----------------|-----------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 102 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 102 |

| Demonstration Projects | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|--|-----------------------------|------------|-------------------------|
| SW32 | New Solid Waste Technology Demonstration Project | N | \$2,075 | Region |

| | | | | |
|-----------------------|-----------------|-----------------------------|--------------------------|---------------------|
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Demonstration Projects | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|--|-----------------------------|----------------|-------------------------|
| SW33 | Demonstration Project Report For New Solid Waste Technology | N | \$4,950 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

| | | | | |
|-------------|---|----------|----------------|---------------|
| SW35 | New Recycle Compost Convert Technology Demonstration Project | N | \$1,458 | Region |
|-------------|---|----------|----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

| Existing Landfill Construction Operation Modification | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|----------------|-------------------------|
| SW08 | Authorization To Construct At An Existing Landfill | N | \$1,780 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 36 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Existing Landfill Construction Operation Modification | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------------------|-------------------------|
| SW10 | Authorization To Operate New Phase Of Landfill | N | \$1,940 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 36 |
| SW11A | Major Mod Landfill No Mepa No Variance | N | \$3,880 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| SW11B | Major Mod Landfill No Mepa With Variance | N | \$3,880 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 102 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 102 |
| SW11C | Major Mod Landfill With Mepa No Variance | N | \$5,290 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Existing Landfill Construction Operation Modification | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|------------|-------------------------|
| SW11D | Major Mod Landfill With Mepa With Variance | N | \$5,290 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 102 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 102 |

| | | | | |
|------|--------------------------------|---|---------|--------|
| SW22 | Minor Modification Of Landfill | N | \$1,380 | Region |
|------|--------------------------------|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 20 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 20 |

| | | | | |
|-------|--|---|---------|--------|
| SW22B | Minor Modification Of Landfill With Variance | N | \$1,380 | Region |
|-------|--|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 50 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 50 |

| Facility Site Suitability Report | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|-------------------------|-----------------------------|------------|-------------------------|
| SW01 | Site Suitability Report | N | \$10,585 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 21 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 21 |
| | | PNA PUBLIC NOTICE | R | 21 |
| | | FNL FINAL REVIEW PERIOD | R | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Facility Site Suitability Report | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|--------------------------|-------------------------|
| SW38 | Major Mod Of Site Assignment Existing Site Suitability Rpt | N | \$1,920 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 21 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 21 |
| | | PNA PUBLIC NOTICE | R | 21 |
| | | FNL FINAL REVIEW PERIOD | R | 60 |

| Landfill Assessment and Closure | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|-------------------------|-----------------------------|--------------------------|-------------------------|
| SW12 | Initial Site Assessment | N | \$1,380 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 36 |

| | | | | |
|-----------------------|-------------------------------|-----------------------------|--------------------------|---------------------|
| SW23 | Comprehensive Site Assessment | N | \$5,645 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 60 |

| | | | | |
|-----------------------|---|-----------------------------|--------------------------|---------------------|
| SW24 | Corrective Action Alternative Analysis Report | N | \$3,565 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Landfill Assessment and Closure | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--------------------------|-----------------------------|------------|-------------------------|
| SW25 | Corrective Action Design | N | \$4,255 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

| | | | | |
|-------|-----------------------------|---|---------|--------|
| SW43A | Landfill Closure Completion | N | \$2,435 | Region |
|-------|-----------------------------|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

| | | | | |
|-------|---|---|---------|--------|
| SW43B | Landfill Closure Completion With Variance | N | \$2,435 | Region |
|-------|---|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 102 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 102 |

| New Landfill or Expanded Existing Landfill | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|------------|-------------------------|
| SW26 | Auth To Construct Large New/Major Expansion Landfill (Irp) | N | Negotiated | Region |

| <i>Timeline Type:</i> | <i>Negotiated</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|-------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 92 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 92 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| New Landfill or Expanded Existing Landfill | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|-----------------|-------------------------|
| SW27 | Auth To Construct Med New/Med Expansion Landfill | N | \$28,555 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 80 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 80 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|--------------|--|----------|-----------------|---------------|
| SW27B | Auth To Construct Med New/Med Expansion Landfill W/ Var | N | \$28,555 | Region |
|--------------|--|----------|-----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 110 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 110 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 102 |

| | | | | |
|-------------|---|----------|-----------------|---------------|
| SW28 | Auth To Construct Small New/Small Expansion Landfill | N | \$14,275 | Region |
|-------------|---|----------|-----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| New Landfill or Expanded Existing Landfill | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|-----------------|-------------------------|
| SW28B | Auth To Construct Small New/Small Expansion Landfill W/ Var | N | \$14,275 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 102 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 102 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 102 |

| | | | | |
|-------------|---|----------|-----------------|---------------|
| SW29 | Auth To Construct New/Expansion Woodwaste Landfill | N | \$14,275 | Region |
|-------------|---|----------|-----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|--------------|--|----------|-----------------|---------------|
| SW29B | Auth To Construct New/Expansion Woodwaste Landfill W/ Var | N | \$14,275 | Region |
|--------------|--|----------|-----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 102 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 102 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 102 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Post-Closure Use | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|------------------------------------|-----------------------------|--------------------------|-------------------------|
| SW36 | Major Post-Closure Use | N | \$3,425 | Region |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| SW37 | Minor Post-Closure Use | Y | \$1,330 | Region |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 45 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| Special Waste Determinations | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| SW14 | Listed Special Waste Acceptance | Y | \$1,940 | Region |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 45 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| Third Party Inspector Registrations | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| SW48 | Third Party Inspector Registration | N | \$595 | HQ |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Transfer Stations and Handling Facilities | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|------------|-------------------------|
| SW05 | Auth To Construct C&D Transfer Or Large Transfer/Handling | N | \$7,235 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| | | | | |
|-------|--|---|---------|--------|
| SW05B | Auth To Construct C&D Transfer Or Large Trans/Handling W/Var | N | \$7,235 | Region |
|-------|--|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 90 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 90 |

| | | | | |
|------|--|---|---------|--------|
| SW06 | Auth To Operate/Renew C&D Transfer Or Large Handling Fac | N | \$1,940 | Region |
|------|--|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 36 |

| | | | | |
|------|---|---|---------|--------|
| SW07 | Modification Of C&D Transfer Or Large Handling Facility | N | \$3,235 | Region |
|------|---|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

| Transfer Stations and Handling Facilities | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|------------|-------------------------|
| SW19 | Authorization To Construct Small Transfer/Handling Facility | N | \$2,075 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

| | | | | |
|-------|---|---|---------|--------|
| SW19B | Auth To Construct Small Transfer/Handling Fac W/ Variance | N | \$2,075 | Region |
|-------|---|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 78 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 78 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 54 |

| | | | | |
|------|--|---|-------|--------|
| SW20 | Authorization To Operate/Renew Small Handling Facility | N | \$985 | Region |
|------|--|---|-------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 20 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 20 |

| | | | | |
|------|---|---|---------|--------|
| SW21 | Modification Of Small Handling Facility | N | \$1,380 | Region |
|------|---|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 20 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 20 |

Schedule of Permit Application Fees and Timelines

Program/Division: **TOXIC USE REDUCTION**

BAW

| Toxic Use Reduction Program | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|------------------------------------|--|-----------------------------|--------------------------|-------------------------|
| TU01 | General Practice Tur Planner | N | \$500 | HQ |
| <i>Timeline Type:</i> | Program Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 180 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 180 |
| TU02 | Limited Practice Tur Planner | N | \$100 | HQ |
| <i>Timeline Type:</i> | Program Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 180 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 180 |
| TU03 | Recertification General Practice Tur Planner | N | \$250 | HQ |
| <i>Timeline Type:</i> | Program Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 180 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 180 |
| TU04 | Recertification Limited Practice Tur Planner | N | \$75 | HQ |
| <i>Timeline Type:</i> | Program Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 180 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 180 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WASTE SITE CLEANUP**

BWSC

| Environmental Restriction Grants | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|--------------------------|-------------------------|
| BWS40 | Grant Of Environmental Restriction | N | \$1,290 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 36 |
| BWS41 | Environmental Restriction Grant Amendment | N | \$1,040 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 36 |
| BWS42 | Environmental Restriction Grant Release | N | \$795 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 36 |
| Special Project Designation | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| BWS50 | Special Project Designation | Y | \$920 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 36 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Groundwater Discharges Industrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|----------------|-------------------------|
| WP86 | Iww Type Ii Treatment Facility Permit Plan Approval | N | \$6,190 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 120 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 120 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|-------------|---|----------|----------------|-----------|
| WP87 | Permit To Dischg & Auth To Construct & Op Type I Fac | N | \$3,185 | HQ |
|-------------|---|----------|----------------|-----------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 96 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 96 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|-------------|---|----------|----------------|-----------|
| WP88 | Permit Renewal Or Mod With Plan Modification | N | \$1,445 | HQ |
|-------------|---|----------|----------------|-----------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 88 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 88 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Groundwater Discharges Industrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------|-------------------------|
| WP89 | Permit Renewal Or Mod W/O Plan Modification | N | \$645 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|-------------|-----------------------------------|----------|--------------|-----------|
| WP90 | Plan Approval Modification | N | \$940 | HQ |
|-------------|-----------------------------------|----------|--------------|-----------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |

| Groundwater Discharges NonIndustrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|----------------|-------------------------|
| WP11 | Renewal/Modification Of Permit With Plan Approval | N | \$1,830 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Groundwater Discharges NonIndustrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|--------------|-------------------------|
| WP12 | Renewal/Modification Of Permit Without Plan Approval | N | \$890 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| | | | | |
|-------------|---|----------|----------------|---------------|
| WP79 | Individual Permit Sewage Treatment | N | \$5,000 | Region |
|-------------|---|----------|----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| | | | | |
|-------------|---|----------|--------------|---------------|
| WP80 | General Permit/Renewal Specified Discharge | N | \$745 | Region |
|-------------|---|----------|--------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 10 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 20 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 21 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 15 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Groundwater Discharges NonIndustrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-------------------------------------|--------------------------|-------------------------|
| WP81 | General Permit/Renewal Small Sewage Treatment Works | N | \$755 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 10 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 20 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 21 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 15 |
| WP82 | Individual Permit Administrative Renewal | N | \$265 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 15 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | TR TECHNICAL REVIEW | R | 30 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 15 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |
| WP83 | Hydrogeologic Report | N | \$10,005 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 15 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | TR TECHNICAL REVIEW | R | 30 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Groundwater Discharges NonIndustrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|----------------|-------------------------|
| WP84 | Individual Permit Reclaimed Water System | N | \$5,000 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| | | | | |
|-------------|--|----------|----------------|---------------|
| WP85 | Individual Permit Other Discharge | N | \$2,470 | Region |
|-------------|--|----------|----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| Residuals Management Facilities - Landfill & Treatment | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|-------------------|-------------------------|
| WP33 | Plans & Specifications Residuals Landfill (Irp) | N | Negotiated | Region |

| <i>Timeline Type:</i> | <i>Negotiated</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|-------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Residuals Management Facilities - Landfill & Treatment | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-------------------------------------|--------------------------|-------------------------|
| WP34 | Residuals Landfill Closure | N | \$8,745 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WP35 | Plans & Specifications Residuals Management Facility | N | \$5,350 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 120 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 120 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |
| WP44 | Modification To Residuals Landfill | N | \$2,180 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WP45 | Modification To Residuals Management Facility | N | \$1,280 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Residuals Management Land Applications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|---------------------------------|--------------------------|-------------------------|
| WP28 | Approval Of Sampling/Analysis Plan For Land Application | N | \$860 | Region |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| WP29 | Determination Of Suitability For Land Appl Of Residuals | N | \$3,500 | Region |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| | PN | PUBLIC NOTICE | R | 20 |
| | PC1 | DEP Review of Public Comments 1 | R | 72 |
| WP30 | Certification Of Major Projects For Land Appl Of Sludge | N | \$2,910 | Region |
| <i>Timeline Type: Fee Reg-defined</i> | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 72 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 72 |
| | PN | PUBLIC NOTICE | R | 20 |
| | PC1 | DEP Review of Public Comments 1 | R | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Residuals Management Land Applications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|--------------|-------------------------|
| WP31 | Certification Of Minor Projects For Land Appl Of Sludge | N | \$755 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 72 |

| | | | | |
|-------------|---|----------|--------------|---------------|
| WP32 | Renewal Or Modification Of Certification Land Appl Of Sludge | N | \$315 | Region |
|-------------|---|----------|--------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 48 |

| | | | | |
|-------------|--|----------|----------------|---------------|
| WP93 | Type I Residuals Land Application Renewal | Y | \$1,700 | Region |
|-------------|--|----------|----------------|---------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|----------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |

| Sewer Connections/Extensions | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------------|---|-----------------------------|----------------|-------------------------|
| WP91 | Sewer Connection Required By Dep | N | \$3,000 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 20 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Sewer Connections/Extensions | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---------------------------------------|--|---------------------------------|--------------------------|-------------------------|
| WP92 | Sewer Connection Industrial >25K Gpd To Non-Ipp Potw | N | \$1,795 | HQ |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | TR | TECHNICAL REVIEW | R | 45 |
| | TRD | TECH REVIEW DEFICIENCY | O | 90 |
| | TR2 | TECH REVIEW 2 | O | 45 |
| | PN | PUBLIC NOTICE | R | 30 |
| | PC1 | DEP Review of Public Comments 1 | R | 20 |
| Title 5 Septic Systems | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WP57 | Approval Of Recirculating Sand Filter Or Equivalent | N | \$525 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | TR | TECHNICAL REVIEW | R | 45 |
| | TRD | TECH REVIEW DEFICIENCY | O | 30 |
| | TR2 | TECH REVIEW 2 | O | 45 |
| WP58A | Approval Of Nitrogen Aggregation Loading Plan | N | \$1,940 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 60 |
| | TRD | TECH REVIEW DEFICIENCY | O | 60 |
| | TR2 | TECH REVIEW 2 | O | 60 |
| WP58B | Approval For Installation Of A Shared System | N | \$1,940 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 30 |
| | TRD | TECH REVIEW DEFICIENCY | O | 60 |
| | TR2 | TECH REVIEW 2 | O | 30 |
| WP59 | Approval Of Title 5 Variance | N | \$335 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | TR | TECHNICAL REVIEW | R | 30 |
| | TRD | TECH REVIEW DEFICIENCY | O | 60 |
| | TR2 | TECH REVIEW 2 | O | 30 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Title 5 Septic Systems | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|---|-----------------------------|--------------------------|-------------------------|
| WP60 | Variance From Title 5 For Schools | N | \$1,940 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 30 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| WP61 | Alternative System For Remedial & General Use | N | \$3,675 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WP61A | Alternative System For Remedial Use | N | \$3,675 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WP61B | Alternative System For Piloting, Provisional, Or General Use | N | \$3,675 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Title 5 Septic Systems | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|---|-----------------------------|--------------------------|-------------------------|
| WP62 | Additives, Soil Conditioners, Effluent Tees, Grease Traps | N | \$1,140 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WP63 | Disposal System Construction Permit For State/Federal Facs | N | \$1,140 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WP64A | Approval Of Tight Tank | Y | \$525 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 30 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| WP64B | Approval Of Installation Of Alternative System For Pilot | N | \$525 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Title 5 Septic Systems | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|--|-----------------------------|--------------------------|-------------------------|
| WP64C | Approval Of Installation Of Alternative System Remedial Use | N | \$525 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WP66 | Upgrade/Expansion/Continued Use Of Large Systems | N | \$1,140 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WP70 | Request For Alternative Design Flow | N | \$700 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| WP70A | Non-Sanitary Discharge To A Septic System | N | \$700 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| WP75 | Modification Or Renewal Of Alternative Systems | N | \$2,160 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

| Treatment Works Plan Approvals | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|--------------------------|-------------------------|
| WP68 | Modification Of Plan Approval For Gw/Sw Discharge | N | \$970 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 30 |
| Waste Water Holding Tanks | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| DEP01A | Cert Of Hld Tank- Wtr Pol/Brp | Y | \$140 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| Wastewater Treatment Operator Certifications - Not in PIMS Transmittal Form Not Required | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WP47 | Reciprocity Wastewater Treatment Operator Certification | N | \$95 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMINISTRATIVE REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| WP48 | Emergency/Provisional Wastewater Treatment Operator Cert | N | \$35 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMINISTRATIVE REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Cross Connection | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|--------------------------|-------------------------|
| WS10 | Certification Of Cross Connection Testers | N | \$65 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | TR TECHNICAL REVIEW | R | 24 |
| Distribution System Modifications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WS32 | Approval Of Distribution System Mods More Than 3300 People | N | \$1,055 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS33 | Approval Of Distribution System Mods Less Than 3300 People | N | \$525 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| New Source Approval | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WS13 | Approval To Site Source Under 70 Gals/Min | N | \$1,380 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| New Source Approval | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|----------------------------|--|-----------------------------|--------------------------|-------------------------|
| WS15 | Approval Of Pumping Test Report And Approval To Construct | N | \$1,585 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS17 | Approval To Site Source 70 Gals/Min Or Greater | N | \$4,850 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS19 | Approval Of Pump Test Report For Source 70 Gal/Min Great | N | \$8,205 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 48 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 48 |
| | | TR TECHNICAL REVIEW | R | 96 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 96 |
| WS20 | Approval To Construct Source 70 Gal/Min Greater | N | \$2,910 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| New Source Approval | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------------|---|-----------------------------|--------------------------|-------------------------|
| WS37 | Approv Of New Trnsient Non-Comm Source <10K Gpd | N | \$810 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| New Technology Approval | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WS11 | Approval Of New Technology | N | \$2,265 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WS12 | Major New Tech Appr W/Fld Tst W/O Public Comment (Irp) | N | Negotiated | HQ |
| <i>Timeline Type:</i> | <i>Negotiated</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS27 | Approval Of Drinking Water Additives | N | \$290 | HQ/Reg |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 30 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| New Technology Approval | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------------------|-------------------------|
| WS28 | Approval Of One Vending Site/Source Prototype | N | \$1,380 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS31 | Approval Of Vending Machines W/ Previous 3Rd Party Approval | N | \$290 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| Public Water System Modifications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WS26 | Sale/Acquisition Of Land | N | \$1,290 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS36 | Abandonment Of Source | N | \$70 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Underground Injection Control | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------------------|--|-----------------------------|--------------------------|-------------------------|
| WS06A | Uic Reg Codes 5A24 Except Abandoned, 5B6, 5C4, 5G1, 5K | N | \$585 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| WS06B | Uic Reg 4P, 5A19, 5A23, 5B2, 5B3, 5C3, 5C5, 5H2, 5H3, 5X | N | \$290 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| WS06C | Uic Reg Codes 5A18, 5A24 Abandoned Only, 5B1, 5C2, 5E, 5H1 | N | \$110 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| WS06D | Uic Pre-Closure Notification | N | \$110 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Vending Machine Source | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|-------------------------------|---|-----------------------------|--------------------------|-------------------------|
| WS30A | Install One Type Vending Machine @ 1-9 Locs On Same Sys | N | \$290 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS30B | Install One Type Pou/Poe Device @ 1-9 Loc On Same Sys | N | \$290 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS35A | Install One Type Vending Mach @ 10+ Locations Same Sys | N | \$1,630 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS35B | Install One Type Pou/Poe Device @ 10+ Locations Same Sys | N | \$1,630 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Water Treatment | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|------------------------|--|-----------------------------|--------------------------|-------------------------|
| WS21A | Approv To Conduct Pilot Study; <40K Gpd | N | \$320 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS21B | Approv To Conduct Pilot Study; 40K - 200K Gpd | N | \$485 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS21C | Approv To Conduct Pilot Study; 200K - 1 Mgp/d | N | \$850 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS21D | Approv To Conduct Pilot Study; > 1 Mgp/d | N | \$1,135 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS22A | Approval Of Pilot Study Report; Less 40K Gpd | N | \$915 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS22B | Approval Of Pilot Study Report; 40K-200K Gpd | N | \$1,600 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Water Treatment | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|------------------------|--|-----------------------------|--------------------------|-------------------------|
| WS22C | Approval Of Pilot Study Report; 200K-1Mgd | N | \$2,160 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS22D | Approval Of Pilot Study Report; >1Mgd | N | \$2,850 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS23A | Approval To Construct Facility <40,000 Gpd | N | \$1,125 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WS23B | Approval To Construct Facility >40,000 But <200,000 Gpd | N | \$1,780 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WS23C | Approval To Construct Facility 200,000 Gpd But <1 Mgd | N | \$5,005 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Water Treatment | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---------------------------------------|--|-----------------------------|--------------------------|-------------------------|
| WS24 | Constr Treatment Fac>1Mgd W/O Public Comment (Irp) | N | Negotiated | Region |
| <i>Timeline Type:</i> Negotiated | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 72 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 72 |
| WS25A | Modification Of Treatment Facility < 40K Gpd | N | \$550 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| WS25B | Modification Of Treatment Facility 40K To < 200K Gpd | N | \$860 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 48 |
| WS25C | Modification Of Treatment Facility 200K To < 1 Mil Gpd | N | \$2,210 | Region |
| <i>Timeline Type:</i> Fee Reg-defined | | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | AR | ADMIN REVIEW | R | 24 |
| | ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| | AR2 | ADMIN REVIEW 2 | O | 24 |
| | TR | TECHNICAL REVIEW | R | 48 |
| | TRD | TECH REVIEW DEFICIENCY | O | 180 |
| | TR2 | TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

| Water Treatment | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------------------|-------------------------|
| WS25D | Modification Of Treatment Facility 1 Mil Or > Gpd | N | \$3,070 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS29 | Approval Of Chem Add Retrofit Serving More Than 3300 People | N | \$705 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WS34 | Approval Of Chem Add Retrofit Serving Less Than 3300 People | N | \$350 | Region |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| Well Drilling - Not in PIMS Transmittal Form Not Required | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WS39 | Well Driller Certification | N | \$200 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| WS40 | Well Driller Certification Renewal | N | \$100 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 45 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 45 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Well Drilling - Not in PIMS Transmittal Form Not Required

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|--|---|-------|----|
| WS41 | Well Driller Certification With Waiver | N | \$400 | HQ |
|------|--|---|-------|----|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 45 |
| TRD | TECH REVIEW DEFICIENCY | O | 90 |
| TR2 | TECH REVIEW 2 | O | 45 |

| | | | | |
|------|-------------------|---|---------|----|
| WS42 | Well Drilling Rig | N | Formula | HQ |
|------|-------------------|---|---------|----|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 45 |
| TRD | TECH REVIEW DEFICIENCY | O | 90 |
| TR2 | TECH REVIEW 2 | O | 45 |

Zone 2 Determination

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|--|---|-------|--------|
| WS07 | Zone 2: Approval To Conduct Pumping Test For Delineation | N | \$970 | Region |
|------|--|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|----|
| AR | ADMIN REVIEW | R | 24 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| AR2 | ADMIN REVIEW 2 | O | 24 |
| TR | TECHNICAL REVIEW | R | 36 |
| TRD | TECH REVIEW DEFICIENCY | O | 60 |
| TR2 | TECH REVIEW 2 | O | 36 |

| | | | | |
|------|--|---|---------|--------|
| WS08 | Approval Of Zone 2 Delineation For Existing Drk Water Source | N | \$3,235 | Region |
|------|--|---|---------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|----|
| AR | ADMIN REVIEW | R | 24 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| AR2 | ADMIN REVIEW 2 | O | 24 |
| TR | TECHNICAL REVIEW | R | 48 |
| TRD | TECH REVIEW DEFICIENCY | O | 60 |
| TR2 | TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATERSHED MANAGEMENT**

BWR

| Herbicide Applications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-------------------------------------|--------------------------|-------------------------|
| WM04 | License To Apply Herbicides To Waters Of The Commonwealth | N | \$95 | WMO |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 14 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 14 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| Surface Water NPDES General Permits NonStormwater | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WM10 | General Permit For Construction Site Dewatering | N | \$470 | WMO |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |
| WM11 | General Permit For Non-Contact Cooling Water | N | \$470 | WMO |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |
| WM12 | General Permit For Groundwater Remediation | N | \$950 | WMO |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATERSHED MANAGEMENT**

BWR

| Surface Water NPDES General Permits NonStormwater | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------|-------------------------|
| WM13 | General Permit For Minor Non-Process Wastewater | N | \$950 | WMO |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

| | | | | |
|-------------|---|----------|--------------|------------|
| WM14 | General Permit For Surface Water Discharge Noi | N | \$440 | WMO |
|-------------|---|----------|--------------|------------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 20 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | PC1 DEP Review of Public Comments 1 | R | 24 |

| Surface Water NPDES General Permits Stormwater | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|--|-----------------------------|-------------|-------------------------|
| WM08 | General Permit For Small Muni Separate Storm Sewer System | N | \$95 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|----------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 30 |
| | | TR2 TECH REVIEW 2 | O | 20 |

| | | | | |
|-------------|--|----------|--------------|-----------|
| WM09 | General Permit Stormwater Pollution Prevention Plan | N | \$890 | HQ |
|-------------|--|----------|--------------|-----------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATERSHED MANAGEMENT**

BWR

| Surface Water NPDES Individual Permits NonIndustrial | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|----------------|-------------------------|
| WM05 | Type Ii Npdes Surface Water Discharge Permit | N | \$6,785 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 200 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 200 |
| | | TRD TECH REVIEW DEFICIENCY | O | 200 |
| | | TR2 TECH REVIEW 2 | O | 200 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 90 |

| | | | | |
|-------------|--|----------|----------------|-----------|
| WM06 | Type I Npdes Surface Water Discharge Permit | N | \$3,170 | HQ |
|-------------|--|----------|----------------|-----------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 150 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 150 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 90 |

| | | | | |
|-------------|---|----------|--------------|-----------|
| WM07 | Modification/Renewal Of Npdes Permit | N | \$985 | HQ |
|-------------|---|----------|--------------|-----------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-------------------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 90 |
| | | PN PUBLIC NOTICE | R | 20 |
| | | PC1 DEP Review of Public Comments 1 | R | 60 |

| Water Withdrawals | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------|---|-----------------------------|--------------|-------------------------|
| WM01 | Transfer Of Water Withdrawal Permit/Registration | N | \$215 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|----------------------------|--------------------------|---------------------|
| | | TR TECHNICAL REVIEW | R | 24 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 24 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WATERSHED MANAGEMENT**

BWR

| Water Withdrawals | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--------------------------|--------------------------------------|-----------------------------|------------|-------------------------|
| WM02 | Amendment To Water Withdrawal Permit | N | \$1,940 | Region |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 36 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 36 |

| | | | | |
|------|-------------------------|---|---------|--------|
| WM03 | Water Withdrawal Permit | N | \$4,100 | Region |
|------|-------------------------|---|---------|--------|

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 90 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 90 |
| | | TR2 TECH REVIEW 2 | O | 72 |

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Combined Waterways License & Water Quality Certification | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|---|-----------------------------|------------|-------------------------|
| WW26 | Ww License & Wqc For Dredge/Fill/Excavation | N | Formula | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 96 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 96 |

| Water Quality Certifications Dredge | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|------------|-------------------------|
| WW07 | Major Dredging Projects, 5,000 Cubic Yards Or Greater | N | \$490 | HQ |

| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------------------|-----------------------------|--------------------------|---------------------|
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 96 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 96 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Water Quality Certifications Dredge | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|--------------------------|-------------------------|
| WW08 | Minor Dredging Projects, < 5,000 Cubic Yards, > 100 Cy | N | \$95 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| WW09A | Wqcert Increase In Dredge Volume | N | \$90 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WW09B | Wqcert Change In Dredge Or Disposal Methods | N | \$190 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WW09C | Change In Certification Conditions | N | \$280 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Water Quality Certifications Fill/Excavation | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|--------------------------|-------------------------|
| WW10 | Major Fill And Excavation Projects | N | \$490 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 96 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 96 |
| WW11 | Minor Fill And Excavation Projects | N | \$95 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 72 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 72 |
| Waterways License Applicability & Compliance Certifications | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
| WW04 | Determination Of Applicability | N | \$100 | HQ |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 48 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 48 |
| WW05A | Cert Of Compliance - Water Dependent | N | \$100 | Region |
| <i>Timeline Type:</i> | <i>Fee Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 24 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 180 |
| | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | TR TECHNICAL REVIEW | R | 292 |
| | | TRD TECH REVIEW DEFICIENCY | O | 180 |
| | | TR2 TECH REVIEW 2 | O | 146 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways License Applicability & Compliance Certifications

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|--------------|--|----------|--------------|---------------|
| WW05B | Cert Of Compliance - Nonwater Dependent | N | \$215 | Region |
|--------------|--|----------|--------------|---------------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|-----|
| AR | ADMIN REVIEW | R | 24 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| AR2 | ADMIN REVIEW 2 | O | 24 |
| TR | TECHNICAL REVIEW | R | 292 |
| TRD | TECH REVIEW DEFICIENCY | O | 180 |
| TR2 | TECH REVIEW 2 | O | 146 |

| | | | | |
|--------------|---|----------|--------------|---------------|
| WW05C | Cert Of Compliance - Extended Term | N | \$430 | Region |
|--------------|---|----------|--------------|---------------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|-----|
| AR | ADMIN REVIEW | R | 24 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| AR2 | ADMIN REVIEW 2 | O | 24 |
| TR | TECHNICAL REVIEW | R | 292 |
| TRD | TECH REVIEW DEFICIENCY | O | 180 |
| TR2 | TECH REVIEW 2 | O | 146 |

Waterways Non-simplified Licenses

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|--------------|---|----------|--------------|---------------|
| WW01A | Ww License Residential Water-Dependent 4 Units Or Less | N | \$215 | HQ/Reg |
|--------------|---|----------|--------------|---------------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|----|
| AR | ADMIN REVIEW | R | 30 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| AR2 | ADMIN REVIEW 2 | O | 30 |
| PN | PUBLIC NOTICE | R | 30 |
| TR | TECHNICAL REVIEW | R | 60 |
| TRD | TECH REVIEW DEFICIENCY | O | 60 |
| TR2 | TECH REVIEW 2 | O | 60 |

| | | | | |
|--------------|--|----------|--------------|---------------|
| WW01B | Ww License-Other Water-Dependent Projects | N | \$330 | HQ/Reg |
|--------------|--|----------|--------------|---------------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|----|
| AR | ADMIN REVIEW | R | 30 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 60 |
| AR2 | ADMIN REVIEW 2 | O | 30 |
| PN | PUBLIC NOTICE | R | 30 |
| TR | TECHNICAL REVIEW | R | 60 |
| TRD | TECH REVIEW DEFICIENCY | O | 60 |
| TR2 | TECH REVIEW 2 | O | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Waterways Non-simplified Licenses | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|--------------------------|-------------------------|
| WW01C | Ww License-Water-Dependent Projects-Extended Terms | N | \$3,350 | HQ/Reg |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW03A | Ww Lic Amendment-Wd Use 4 Units Or Less | N | \$100 | HQ/Reg |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW03B | Ww Lic Amendment-Other Wd Use Projects | N | \$125 | HQ/Reg |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW03C | Ww Lic Amend - Residential Nwd Use 4 Units Or Less | N | \$530 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Waterways Non-simplified Licenses | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|---|-----------------------------|--------------------------|-------------------------|
| WW03D | Ww Lic Amend - Other Nwd Use Projects | N | \$1,000 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW03E | Amendment For License With Extended Terms (Wd/Nwd) | N | \$1,335 | HQ/Reg |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 30 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 30 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW14A | Partial App-Nwd Residential-4 Units Or Less | N | \$665 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW14B | Partial App-Other Nwd Use Projects | N | \$2,005 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Waterways Non-simplified Licenses | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------------------|-------------------------|
| WW14C | Partial App-Nwd Use Projects With Extended Terms | N | \$3,350 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 90 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 60 |
| WW15A | Full App-Nwd Residential Use 4 Units Or Less | N | \$665 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| WW15B | Full App-Other Nwd Use Projects | N | \$2,005 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| WW15C | Full App-Other Nwd Use Projects With Extended Terms | N | \$3,350 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 60 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Waterways Non-simplified Licenses | | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|--|-----------------------------|--------------------------|-------------------------|
| WW16A | Nwd Residential - 4 Units Or Less - In A Muni Harbor Plan | N | \$665 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 75 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| WW16B | Other Nwd Use -In A Muni Harbor Plan | N | \$2,005 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 75 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| WW16C | Nwd Use With Extended Terms In A Muni Harbor Plan | N | \$3,350 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 45 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 45 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 75 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 45 |
| WW17A | Joint Mepa App- Nwd Residential Use-4 Units Or Less | N | \$665 | HQ |
| <i>Timeline Type:</i> | Fee Reg-defined | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
| | | AR ADMIN REVIEW | R | 90 |
| | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | AR2 ADMIN REVIEW 2 | O | 25 |
| | | PN PUBLIC NOTICE | R | 30 |
| | | TR TECHNICAL REVIEW | R | 30 |
| | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | TR2 TECH REVIEW 2 | O | 30 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

| Waterways Non-simplified Licenses | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|--|-----------------------------|----------------|-------------------------|
| WW17B Joint Mepa App- Other Nwd Use Project | N | \$2,005 | HQ |

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|-----------------------------|--------------------------|---------------------|
| | | | AR ADMIN REVIEW | R | 90 |
| | | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | | AR2 ADMIN REVIEW 2 | O | 25 |
| | | | PN PUBLIC NOTICE | R | 30 |
| | | | TR TECHNICAL REVIEW | R | 30 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | | TR2 TECH REVIEW 2 | O | 30 |

| | | | |
|---|----------|----------------|-----------|
| WW17C Joint Mepa App-Other Nwd Use Proj-Extended Terms | N | \$3,350 | HQ |
|---|----------|----------------|-----------|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|-----------------------------|--------------------------|---------------------|
| | | | AR ADMIN REVIEW | R | 90 |
| | | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | | AR2 ADMIN REVIEW 2 | O | 25 |
| | | | PN PUBLIC NOTICE | R | 30 |
| | | | TR TECHNICAL REVIEW | R | 30 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | | TR2 TECH REVIEW 2 | O | 30 |

| Waterways Simplified Licenses | <i>Presumptive Approval</i> | <i>Fee</i> | <i>Reviewing Office</i> |
|---|-----------------------------|-------------|-------------------------|
| WW06 Ww License Small Structure Accessory To Residence | N | \$75 | HQ/Reg |

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|-----------------------------|--------------------------|---------------------|
| | | | AR ADMIN REVIEW | R | 24 |
| | | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | | TR TECHNICAL REVIEW | R | 72 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | | TR2 TECH REVIEW 2 | O | 72 |

| | | | |
|---|----------|-------------|---------------|
| WW12 Renewal Ww License Small Structure Accessory To Residence | N | \$35 | HQ/Reg |
|---|----------|-------------|---------------|

| <i>Timeline Type:</i> | <i>Fee</i> | <i>Reg-defined</i> | <i>Timeline Tasks</i> | <i>Required/Optional</i> | <i>Days Allowed</i> |
|-----------------------|------------|--------------------|-----------------------------|--------------------------|---------------------|
| | | | AR ADMIN REVIEW | R | 24 |
| | | | ARD ADMIN REVIEW DEFICIENCY | O | 60 |
| | | | AR2 ADMIN REVIEW 2 | O | 24 |
| | | | PN PUBLIC NOTICE | R | 30 |
| | | | TR TECHNICAL REVIEW | R | 48 |
| | | | TRD TECH REVIEW DEFICIENCY | O | 60 |
| | | | TR2 TECH REVIEW 2 | O | 48 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

**Wetland Protection Act - Not in PIMS Transmittal Form
Not Required**

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|---|---|---------|--------|
| WW18 | Wetlands Notice Of Intent & Abbreviated Noi | N | Formula | Region |
|------|---|---|---------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 21 |
| TRD | TECH REVIEW DEFICIENCY | O | 21 |
| TR2 | TECH REVIEW 2 | O | 21 |

| | | | | |
|------|---|---|-------|--------|
| WW19 | Wetlands Superseding Determination Of Applicability | N | \$120 | Region |
|------|---|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 70 |
| TRD | TECH REVIEW DEFICIENCY | O | 70 |
| TR2 | TECH REVIEW 2 | O | 40 |

| | | | | |
|-------|---|---|-------|--------|
| WW20A | Wetlands Superseding Order Of Conditions Single Family Home | N | \$120 | Region |
|-------|---|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 70 |
| TRD | TECH REVIEW DEFICIENCY | O | 70 |
| TR2 | TECH REVIEW 2 | O | 40 |

| | | | | |
|-------|--|---|-------|--------|
| WW20B | Wetlands Superseding Order Of Conditions All Other | N | \$245 | Region |
|-------|--|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 70 |
| TRD | TECH REVIEW DEFICIENCY | O | 70 |
| TR2 | TECH REVIEW 2 | O | 40 |

| | | | | |
|------|---|---|-------|--------|
| WW21 | Wetlands Superseding Order Of Resource Area Delineation | N | \$120 | Region |
|------|---|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 70 |
| TRD | TECH REVIEW DEFICIENCY | O | 70 |
| TR2 | TECH REVIEW 2 | O | 40 |

| | | | | |
|------|-------------------|---|---------|--------|
| WW22 | Wetlands Variance | N | \$9,830 | Region |
|------|-------------------|---|---------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 70 |
| TRD | TECH REVIEW DEFICIENCY | O | 70 |
| TR2 | TECH REVIEW 2 | O | 40 |

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

**Wetland Protection Act - Not in PIMS Transmittal Form
Not Required**

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|--|---|-------|--------|
| WW23 | Wetlands Variance With Claim Of Taking | N | \$245 | Region |
|------|--|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|------------------------|---|----|
| TR | TECHNICAL REVIEW | R | 70 |
| TRD | TECH REVIEW DEFICIENCY | O | 70 |
| TR2 | TECH REVIEW 2 | O | 40 |

Wetlands Cranberry Bog Renovations

Presumptive Approval

Fee

Reviewing Office

| | | | | |
|------|---|---|-------|--------|
| WW13 | Wetlands Renovation Of Abandoned Cranberry Bogs | N | \$785 | Region |
|------|---|---|-------|--------|

Timeline Type: Fee Reg-defined

Timeline Tasks

Required/Optional

Days Allowed

| | | | |
|-----|-------------------------|---|-----|
| AR | ADMIN REVIEW | R | 24 |
| ARD | ADMIN REVIEW DEFICIENCY | O | 180 |
| AR2 | ADMIN REVIEW 2 | O | 24 |
| TR | TECHNICAL REVIEW | R | 72 |
| TRD | TECH REVIEW DEFICIENCY | O | 180 |
| TR2 | TECH REVIEW 2 | O | 72 |